TEVERUN

TEVERUN

TEVERUN
INTRODUCTION

ELECTRIC SCOOTER ARTIST

Ningbo Teverun Technology Co.ltd

Email: info@teverun.com

Web: www.teveurn.com

TEVERUN HISTORY

2017

We entered the field of electric scooter, mainly focusing on OEM orders.

2018

We decided to build our own-design scooter, and launched our first generation of BLADE series scooter: BLADE 10, which provided us with much i nitial experience.

2020

With summarizing experience, we launched BLADE X. With stable s tructure and electric control system-- blade X model has won praise and attracted h igh attention. We started having our fans.

2021

BLADE GT was born in this year,which greatly expanding our market share and brand awareness.
Our partners have extended from normal distributors. to long-term dealers and exclusive dealers.

2022

We have reached a strategic cooperation with MINIMOTORS, we launched TEVERUN brand, expanded the entire team, and launched our new series : TEVERUN series -We want this series to be our flagship and aim to be the best off-road e-scooter in the world! Also we lauched BLADE MINI-as an addition to the BLADE series of cost-effective urban scooters.

2023

In 2023, we will launch second-generation of model BLADE GT (Called BLADE GT II).
We will launch new models of TEVERUN FIGHTER TEN and TEVERUN MINI.
We used our newly developed built-in TFT display for BLADE GT II and TEVERUN MINI.
We upgraded the battery to smart BMS battery.
We also launched our TEVERUN APP.

2024

In 2024 , we launched TEVERUN TETRA and have done many important updates including:

1. All FIGHTER series and BLADE GT II are replaced with waterproof cables
2. All NFC is built-in
3. Adjust from 1-5 gears to WALKING/ECO/1/2/3/S, The TCS (electronic traction control) function is added,
4. Using the new version controllers,the front and rear controllers can be used universally.
5. Added GPS and PKE key
6. Using 4-piston hydraulic brake for more models
7. Upgraded charging port
8. Started by pressing the brake, more convenient than non-zero start. Could be used together with non-zero start.



TEVERUN CULTURE

OUR MISSION

To Produce
Electric Scooters
With Art Collection Value

OUR VISION

Become A Century-Old
Famous Enterprise
And Go Down InHistory
Of The Electric Scooter
Industry

OUR VALUES

Honesty
Long-Term Company Thinking
Persistence
Work With Respect
Creat Wow
Craftsman's Spirit

TEVERUN Electric Scooter is a result of BLADE Scooterand MINIMOTORS(dualtron) CEO.After stepping foot into our first electricscooter,we were hooked.We believe that personal electric vehicles could make the world better and bring joy into our lives. After years ofexploring ,we found out that in order to make the best scooter , we need to share our tech and work together.that s how TEVERUN was born.

TEVERUN SERIES

BLADE Series

TEVERUN's classic collection.

Our pursuit of this series is: to stand out in the middle and high-end scooters, in addition to achieving the real stability and comfort of the structure/appearance/ electronic control system, customers could experience the real cost performance.

In response to market demand, We accept OEM customization for BLADE series based on a certain quantity.

TEVERUN FLAGSHIP Series

TEVERUN's flagship collection. A series showing technical strength of TEVERUN brand.

Including Fighter MINI,FIGHTER 11 ,Fighter Supreme, FIGHTER SUPRENE 7260R and Teverun TETRA ,the goal of this series is to become the best luxury off-road scooter on the global market, achieving the best state in terms of speed/safety/comfort.

All components, including wires, we use the best available on the market.

Compared with the BLADE series, the positioning of the TEVERUN series is more inclined to show muscles and be a super sports scooters in scooter market.



TEVERUN

BECOME OUR DISTRIBUTOR

Marketing Support

We will regularly share product videos, photos and other promotional materials with our dealers. We hope that our sales could not only provide best scooters, but also help you with making marketing plans.

Technical Support

We share R&D and technology platforms with minimotors. Also we have our own technical team. We could provide video trainings about: technical knowledges , technical explaination of dif icult issues , ef icient way for maintance etc.

After-Sale Support

We of er a one-year warranty for teverun scooters. We have professional after-sale team, who could get back to you within 24 hours if you meet any problems.

Price Control

We strictly control our minimum retail price and have related pricing regulations ,to prevent vicious competition between our partners.

Region Protect

We will control the number of dealers according to the market capacity (normally 1– 3 agents in each country) , This is to ensure that all teverun partners could has enough market and benefit potentials.

Customer Sharing

From our website ,Facebook, Ins,Linkedin and Youtube channel ,we often receive messages from customers all over the world. We will send their information to the most appropriate dealer according to your stock and location.

TEVERUN

EXCLUSIVE DEALER

1

Confirm
Exclusive Area

Check if your target market already has our exclusive agency. Confirm the models and series that you want to be exclusively represented

2

Confirm
Annual Sales Target

According to the specific situation of the target market,such as population,culture, policies,etc. discuss and confirm the annual sales volume target

3

Confirm
Contract

Check and sign the specific terms of the exclusive agency contract together

4

Pay For
Exlusive Deposit

Pay for exlusive business deposit. After receiving the deposit, we will notify all distributors and nearby dealers to stop selling the contracted models and series to your target market

TEVERUN

WARRANTY POLICY

PARTS	MAIN PARTS	ACCESSORY	WEARING PARTS	APPEARANCE PARTS
SPECIFIC ACCESSORIES	Frame (handlebar, pole, pedal, front and rear body link frame, swing arm), charger, battery, controller, adapter module, motor, hub, main line, brake assembly (excluding brake lever and pad)	Brake lever, switch, folding quick release, display	Inner and outer tires	Charging port and dust cap, handle, plastic parts, foot pad, foot support, lighting system (front light, rear light, side light), horn bell
WARRANTY PERIOD	12Months	6Months	0	0
WARRANTY CONDITIONS	No cracking or disconnection of violent use; no water ingress of accessories	No water ingress,for functional issues only	Only for brand new scooter and batch problem	Only for brand new Scooter and batch problem
REMARKS	1. We offer warranty only for original scooters from our company, not including scooters with any modification(including exterior and internal modification). 2. Usually, the warranty parts will be sent with next order. For urgent case, the logistics cost shall be borne by the applicant. 3. When applying,please provide detailed description of the problem, the frame number, photos and videos that explains the problem. Sometimes we will need your help by doing some tests and inspections ,in order to identify problems. The warranty quantity is subject to the factory's confirmation.			



TEVERUN

MODEL INTRODUCTION

TEVERUN

TEVERUN TETRA

13 INCH

TEVERUN TETRA:

TEVERUN APP , GPS , PKE

Configuration	TEVERUN TETRA 3wheels single motor	TEVERUN TETRA dualmotors	TEVERUN TETRA 4 motors
Tire size(inch)	13inch off road tire	13inch off road tire	13inch off road tire
Motor Rated Power(W)	1500W	1500WX2	1500WX4
Controller	Sine Wave 37A	Sine Wave 37A x2	Sine Wave 37A x4
Maximum speed	55km/h	55km/h	55km/h
Display	new TFT 4inch with NFC	new TFT 4inch with NFC	new TFT 4inch with NFC
Maximum range	200km	200km	200km
Brake	4 hydraulic Disc brake front and rear	4 hydraulic Disc brake front and rear	4 hydraulic Disc brake front and rear
Suspension	spring suspension	spring suspension	spring suspension

Configuration	TEVERUN TETRA 3wheels single motor	TEVERUN TETRA dualmotor	TEVERUN TETRA 4 motors
Battery	60V 60AH SK (smart BMS)	60V 60AH SK (smart BMS)	60V 60AH SK (smart BMS)
Charger	67.2V 5A fast charger	67.2V 5A fast charger	67.2V 5A fast charger
Electronic lock	PKE/APP	PKE/APP	PKE/APP
Development size (mm)	L1183/H1264/W650	L1183/H1264/W650	L1183/H1264/W650
Folding size (mm)	L1183/H534/W650	L1183/H534/W650	L1183/H534/W650
Packing size (mm)	L1220/H695/W670	L1220/H695/W670	L1220/H695/W670
Net weight	70KG	76KG	83KG
Gross weight	80KG	103KG	110KG

TEVERUN

TEVERUN FIGHTER SUPREME 7260R

13 INCH

FIGHTER SUPREME 7260R

TEVERUN APP , GPS , PKE

FIGHTER SUPREME 7260R	Configuration
Tire size(inch)	CST 13inch tubeless tire puncture free
Rated power	2500w*2
Controller	Sine Wave 70AX2
Maximum speed	110+km/h
Display	TFT 4inch with NFC
Maximum range	200KM
Brake	4-piston hydraulic brake
Electronic lock	PKE/APP
Suspension	KKE adjustable hydraulic suspension

FIGHTER SUPREME 7260R	Configuration
Battery	72V 60AH SK
Maximum load	150KG
Charger	84V 5A
Development size (mm)	L1316/H1341/W645
Folding size (mm)	L1316/H577/W316
Packing size (mm)	L1455/H670/W375
CBM	0.3656
Net weight	64kg
Gross weight	72kg

TEVERUN

TEVERUN FIGHTER SUPREME+

11 INCH

TEVERUN APP

FIGHTER SUPREME	FIGHTER SUPREME+	FIGHTER SUPREME ULTRA
Tire size(inch)	CST 90/65-6.5 11inch tubeless tire puncture free	CST 90/65-6.5 11inch tubeless tire puncture free
Motor Rated Power(W)	1600W*2	2000W*2
Maximum speed	90km/h	105km/h
Maximum range	220KM	220KM
Brake	full hydraulic Disc brake	4 piston full hydraulic Disc brake
Suspension	spring suspension front and rear	KKE adjustable hydraulic suspension
Battery	72V 60AH SK	72V 60AH SK
Display	TFT 3.5inch with NFC	new TFT 4 inch with NFC

FIGHTER SUPREME	FIGHTER SUPREME+	FIGHTER SUPREME ULTRA
Controller	37AX2	55AX2
Electronic Lock	NFC/APP	NFC/APP
Charger	84V 5A	84V 5A
Development size (mm)	L1316/H1341/W645	L1316/H1341/W645
Folding size (mm)	L1316/H577/W316	L1316/H577/W316
Packing size (mm)	L1380/H620/W320	L1380/H620/W320
Net weight	45kg	51kg
Gross weight	52kg	59kg

TEVERUN

TEVERUN FIGHTER ELEVEN

11 INCH

FIGHTER ELEVEN	FIGHTER ELEVEN	FIGHTER ELEVEN+
Tire size(inch)	CST 90/65-6.5 11inch tubeless tire puncture free	CST 90/65-6.5 11inch tubeless tire puncture free
Motor Rated Power(W)	1600W*2	1600W*2
Maximum speed	85km/h	85km/h
Display	TFT 3.5inch with NFC	TFT 3.5inch with NFC
Maximum range	80KM	120KM
Brake	full hydraulic Disc brake	4 piston full hydraulic Disc brake
Battery	60V 26AH	60V 35AH SAMSUNG
Electronic Lock	NFC/APP	NFC/APP

FIGHTER ELEVEN	FIGHTER ELEVEN	FIGHTER ELEVEN+
Suspension	spring suspension	KKE adjustable hydraulic suspension
Controller	Sine Wave 37A x2	Sine Wave 37A x2
Charger	67.2V 2A	67.2V 5A
Development size (mm)	L1350/H1280/W650	L1350/H1280/W650
Folding size (mm)	L1350/H580/W240	L1350/H580/W240
Packing size (mm)	L1380/H620/W315	L1380/H620/W315
Net weight	36KG	36KG
Gross weight	44KG	44KG

TEVERUN MINI

10 INCH

TEVERUN APP

FIGHTER MINI	TEVERUN FIGHTER MINI ECO	TEVERUN FIGHTER MINI	TEVERUN FIGHTER MINI PRO
Tire size(inch)	10X3.0 tubeless tire CST	10X3.0 tubeless tire CST	10X3.0 tubeless tire CST
Motor Rated Power(W)	1000WX2	1000WX2	1000WX2
Maximum speed	60km/h	60km/h	65km/h
Display	build-in LED display with NFC	build-in TFT display with NFC	build-in TFT display with NFC
Maximum range	80km	80km	80km
Brake	full hydraulic Disc brake	full hydraulic Disc brake	full hydraulic Disc brake
Electronic Lock	NFC/APP	NFC/APP	NFC/APP
Suspension	spring suspension	KKE adjustable hydraulic suspension	KKE adjustable hydraulic suspension

FIGHTER MINI	TEVERUN FIGHTER MINI ECO	TEVERUN FIGHTER MINI	TEVERUN FIGHTER MINI PRO
Battery	52V 15.6AH (smart BMS)	52V 20AH (smart BMS)	60V 25AH SAMSUNG (smart BMS)
Controller	sine wave 25A X2	sine wave 25A X2	sine wave25A X2
Charger	58.8V 2A	58.8V 2A	67.2V 2A
Development size (mm)	L1180/H1250/W650	L1180/H1250/W650	L1180/H1250/W650
Folding size (mm)	L1180/H600/W650	L1180/H600/W650	L1180/H600/W650
Packing size (mm)	L1290/H665/W290	L1290/H665/W290	L1290/H665/W290
Net weight	29.5kg	29.5kg	29.5kg
Gross weight	34kg	34kg	34kg

BLADE GT II

11 INCH

FIGHTER II

TEVERUN APP

BLADE GT II	BLADE GT II	BLADE GT+ II
Tire size(inch)	90/65-6.5 11inch tubeless tire puncture free	90/65-6.5 11inch tubeless tire puncture free
Motor Rated Power(W)	1600w x2	1600w x2
Maximum speed	85km/h	85km/h
Display	built-in LED display with NFC	built-in TFT display with NFC
Maximum range	80KM	120KM
Brake	full hydraulic disc brake	full hydraulic disc brake
Electronic lock	NFC/APP	NFC/APP
Suspension	spring suspension	KKE adjustable hydraulic suspension

BLADE GT II	BLADE GT II	BLADE GT+ II
Battery	60V 26AH	60V 30AH SAMSUNG
Controller Current Limited	Sine Wave 37 X2	Sine Wave 37 X2
Charger	67.2V 2A	67.2V 5A
Development size (mm)	L1300/H1280/W650	L1300/H1280/W650
Folding size (mm)	L1300/H480/W260	L1300/H480/W260
Packing size (mm)	L1380/H620/W315	L1380/H620/W315
Net weight	35kg	35kg
Gross weight	45kg	45kg

TEVERUN

BLADE MINI

10 INCH

TEVERUN

BLADE Q

8/8.5 INCH

BLADE MINI	BLADE MINI	BLADE MINI PRO	BLADE MINI ULTRA
Tire size(inch)	10*3.0 tube tire	10*3.0 tube tire	10*3.0 tube tire
Motor Rated Power(W)	500W	500W X2	1000W X2
Maximum speed	40km/h	50km/h	60km/h
Display	Build-in LED diplay with NFC	Build-in LED diplay with NFC	Build-in LED diplay with NFC
Maximum range	40KM	40KM	100KM
Brake	mechanical disc brake	mechanical disc brake	full hydraulic Disc brake
Electronic lock	NFC	NFC	NFC
Suspension	spring suspension	spring suspension	spring suspension

BLADE MINI	BLADE MINI	BLADE MINI PRO	BLADE MINI ULTRA
Battery	48V 10AH	48V 15.6AH	60V 27AH
Controller Current Limited	Sine Wave 22A	Sine Wave 22A X2	Sine Wave 25A X2
Charger	54.6V 2AH	54.6V 2AH	67.2V 2AH
Development size (mm)	L1180/H1250/W650	L1180/H1250/W650	L1180/H1250/W650
Folding size (mm)	L1180/H600/W650	L1180/H600/W650	L1180/H600/W650
Packing size (mm)	L1290/H665/W290	L1290/H665/W290	L1290/H665/W290
Net weight	23.5kg	27.5kg	30kg
Gross weight	28kg	32kg	34kg

BLADE Q	BLADE Q	BLADE Q PRO
Tire size(inch)	8inch solid tire	8.5inch solid tire
Motor Rated Power(W)	350W	350W*2
Maximum speed	33km/h	40km/h
Display	LCD display with NFC	LCD display with NFC
Maximum range	30KM	40KM
Brake	Drum brake	Disc brake
Electronic lock	NFC	NFC
Suspension	spring suspension front and rear	spring suspension front and rear

BLADE Q	BLADE Q	BLADE Q PRO
Battery	36V 10AH	36V 15AH
Controller Current Limited	Sine Wave 22A	Sine Wave 22Ax2
Charger	42V 2A	42V 2A
Development size (mm)	L1100/H1180/W650	L1100/H1180/W650
Folding size (mm)	L1100/H450/W650	L1100/H450/W650
Packing size (mm)	L1150/H450/W230	L1150/H450/W230
Net weight	20kg	26kg
Gross weight	24kg	30kg

TEVERUN

App

- Fault Self-Diagnosis System
- Parameters Setting (Associated with TFT display)
- Scooter Data Real-Time Feedback
- GPS Map
- High-End Light Control System
- Battery Status Monitoring (Associated with smart BMS)
- Background Overall Quality Inspection

TEVERUN

GPS

- Driving trajectory
- Anti-theft tracking
- Smart scooter locating
- Remote fault alarm



TEVERUN

ELECTRIC SCOOTER ARTIST